

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re Patent Application of:

Patentee: James M. BRUGGER

Patent No.: 8,002,727

Issued: August 23, 2011

Confirmation No.: 9019

For: METHODS AND APPARATUS FOR LEAK DETECTION IN BLOOD  
PROCESSING SYSTEMS

\* \* \*

**REQUEST FOR CERTIFICATE OF CORRECTION**

Commissioner for Patents  
P.O. Box 1450  
Alexandria VA 22313-1450

Sir:

In accordance with the provisions of 37 CFR §1.322 and 35 USC §254, the patentee respectfully requests the issuance of a Certificate of Correction pursuant to the appended Form PTO-1050 in order to correct errors appearing in United States Letters Patent No. 8,002,727.

Since these are errors made by the United States Patent and Trademark Office, no fee for the Certificate of Correction should be due. However, please charge any deficiencies or credit any overpayments to our Deposit Account No. 50-1165 (T4342-14501US02).

Respectfully submitted,

Date: September 20, 2011

By: /Michael A. Minter/  
Mark A. Catan  
Reg. No. 38,720

Michael A. Minter  
Reg. No. 58,797

Miles & Stockbridge, P.C.  
1751 Pinnacle Drive  
Suite 500  
McLean, Virginia 22102-3833  
(703) 903-9000

**UNITED STATES PATENT AND TRADEMARK OFFICE  
CERTIFICATE OF CORRECTION**Page 1 of 1

PATENT NO. : 8,002,727  
APPLICATION NO. : 10/578,600  
ISSUE DATE : August 23, 2011  
INVENTOR(S) : Brugger et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

(56) Page 2, delete "6,649,003 B1 11/2003 Spain et al." and replace with  
--6,649,063 B2 11/2003 Brugger et al.--.

(57) In the third sentence of the Abstract, delete "aid" and replace with --and--.

MAILING ADDRESS OF SENDER (Please do not use customer number below):

Miles & Stockbridge P.C.  
1751 Pinnacle Drive, Suite 500  
McLean, VA 22102

This collection of information is required by 37 CFR 1.322, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: **Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.